


Room 1



Height of room: 15.000 ft, Height of working plane: 2.625 ft, Wall zone: 0.000 ft
 Reflection factors: Ceiling 70.0%, Walls 50.0%, Floor 40.0%, Light loss factor: 0.80

Workplane

Surface	Result	Mean (target)	Min	Max	Mean/Min	Max/Min
1 Workplane 1	Perpendicular illuminance [fc]	93 (46)	36	119	2.583	3.306

No.	Quantity			
1	5	Lithonia Lighting TC 2 32 TANDEM GENERAL PURPOSE STRIP, 4FT LONG, WITH FOUR LAMPS Light output ratio: 92.86% Lamp luminous flux: 11600 lm Luminaire Luminous Flux: 10772 lm Power: 112.0 W Light yield: 96.2 lm/W	See our luminaire catalog for an image of the luminaire.	
2	20	Lithonia Lighting ZL1N L48 7000LM FST 50K 80CRI ZL1N 48"LENGTH 7000 LUMENS FROSTED LENS 5000K 80CRI Absolute photometry Luminaire Luminous Flux: 7341 lm Power: 61.6 W Light yield: 119.1 lm/W	See our luminaire catalog for an image of the luminaire.	

Total lamp luminous flux: 204820 lm, Total luminaire luminous flux: 200680 lm, Total Load: 1792.0 W, Light yield: 112.0 lm/W

Lighting power density: 1.11 W/sq ft = 0.12 W/sq ft/10 fc (Ground area 1610.04 sq ft)